





# The Brother P-touch CUBE Plus PT-P710BT allows you to easily design and print labels from your Apple<sup>\*</sup> or Android<sup>™</sup> smartphone, tablet, laptop or desktop.

- Versatile, fun-to-use label maker with Bluetooth® wireless technology
- Stylish, portable design fits most decors and environments.
- Conveniently design and print personalized labels from your smartphone or tablet using the free Brother iPrint&Label\* app or P-touch Design&Print\* app
- Connect to your PC or Mac via USB and access the Brother P-touch Editor software to create detailed label designs

- Works with Apple® and Android™ devices utilizes smartphone functions including spellcheck and voice-to-text to speed and simplify label creation
- Uses Brother P-touch TZe durable, laminated tapes up to 24mm (~ 1 inch) wide in a variety of colors, styles and sizes
- Includes: P-touch Cube Plus label maker, 1 Black Print on White (~ 1 inch) Starter Tape 1 Black Print on Premium Glitter Gold (~ 1 inch) Starter Tape, built-in Li-ion battery and USB cable





# P-touch CUBE Plus with Bluetooth Wireless Technology

Versatile, simple and fun-to-use label maker for use with your smartphone, tablet or desktop

Free Brother Software Options	P-touch Design&Print <sup>1</sup>	Brother iPrint&Label¹	P-touch Editor Software
Number of Fonts	Uses most Google and Apple® font libraries + 33 built in fonts	Uses most Google and Apple® font libraries + 7 built-in fonts	Uses all TrueType fonts
Maximum Print Lines	Max. 7 lines with the smallest font size	Max. 7 lines with the smallest font size	Max. 8 lines with the smallest font size
Built-in Symbols	450+	493	1900+
Built-in Frames	60+	51	140+
Vertical Printing	Yes	Yes	Yes
Pre-Designed Templates	30+	52	220+
Ability to Create Custom Labels	Yes	Yes	Yes
# of Saved (Stored) Labels	Up to 100 labels	No limitation	No limitation
Ability to use smartphone voice to text	Yes	Yes	N/A
Ability to detect color/size of tape in machine <sup>2</sup>	Yes	Yes	Yes
Supports Barcode Printing	Yes (QR code)	Yes	Yes

#### Hardware Features:

Tape Line	TZe Laminated Tape
Maximum Tape Width	24mm (~1")
Tape Cutter	Auto
Maximum Print Speed	20mm/sec.
Maximum Print Resolution	180 dpi
Maximum Print Height	18.0mm
Power Source	Built-in Li-ion battery
Auto Power Off	Yes
Interface	Bluetooth® Wireless Technology for mobile, USB for PC/Mac®

# Mobile Device and PC Printing:

Supports Mobile Device Printing	Yes (P-touch Design&Print or Brother iPrint&Label)
Mobile Device Compatibility	Apple® and Android™ Mobile Device
Operating System Capability	Windows 7, Windows 8/8.1, Windows 10 MacOS® v.10.11, 10.12, 10.13

## **Carton Contents:**

P-touch Cube Plus Label Maker (PT-P710BT)
1 Black on White Starter Tape 0.94" (24mm) x 13.1' (4m)
1 Black on Premium Glitter Gold Starter Tape 0.94 (24mm) x 6.5' (2m)
Built-in Li-ion battery
USB cable
Documentation

For use with

Brother iPrint&Label app, Brother P-touch Design&Print app or **Brother P-touch Editor Software** 







For more information, visit ptouch.com or call 1.877.BROTHER



<sup>1</sup> Requires FREE App Download. 2 Some tapes cannot be detected. \*Wireless connection required.





## **Standard Adhesive Laminated Tapes:**

Standard Adhesive Laminated Tapes stick to virtually any surface and are great for most applications, indoors and out.

TZe-111	6mm (0.23") x 8m (26.2 ft) Black on Clear tape
TZe-211	6mm (0.23") x 8m (26.2 ft) Black on White tape
TZe-315	6mm (0.23") x 8m (26.2 ft) White on Black tape
TZe-121	9mm (0.35") x 8m (26.2 ft) Black on Clear tape
TZe-221	9mm (0.35") x 8m (26.2 ft) Black on White tape
TZe-325	9mm (0.35") x 8m (26.2 ft) White on Black tape
TZe-421	9mm (0.35") x 8m (26.2 ft) Black on Red tape
TZe-131	12mm (0.47") x 8m (26.2 ft) Black on Clear tape
TZe-135	12mm (0.47") x 8m (26.2 ft) White on Clear tape
TZe-231	12mm (0.47") x 8m (26.2 ft) Black on White tape
TZe-232	12mm (0.47") x 8m (26.2 ft) Red on White tape
TZe-334	12mm (0.47") x 8m (26.2 ft) Gold on Black tape
TZe-335	12mm (0.47") x 8m (26.2 ft) White on Black tape
TZe-631	12mm (0.47") x 8m (26.2 ft) Black on Yellow tape
TZe-MQF31	12mm (0.47") x 8m (26.2 ft) Black on Pastel Purple tape
TZe-MQE31	12mm (0.47") x 8m (26.2 ft) Black on Pastel Pink tape
TZe-MQ531	12mm (0.47") x 8m (26.2 ft) Black on Pastel Blue tape
TZe-141	18mm (0.7") x 8m (26.2 ft) Black on Clear tape
TZe-145	18mm (0.7") x 8m (26.2 ft) White on Clear tape
TZe-241	18mm (0.7") x 8m (26.2 ft) Black on White tape
TZe-242	18mm (0.7") x 8m (26.2 ft) Red on White tape
TZe-243	18mm (0.7") x 8m (26.2 ft) Blue on White tape
TZe-344	18mm (0.7") x 8m (26.2 ft) Gold on Black tape
TZe-345	18mm (0.7") x 8m (26.2 ft) White on Black tape
TZe-441	18mm (0.7") x 8m (26.2 ft) Black on Red tape
TZe-541	18mm (0.7") x 8m (26.2 ft) Black on Blue tape
TZe-545	18mm (0.7") x 8m (26.2 ft) White on Blue tape
TZe-641	18mm (0.7") x 8m (26.2 ft) Black on Yellow tape
TZe-741	18mm (0.7") x 8m (26.2 ft) Black on Green tape
TZe-B41	18mm (0.7") x 5m (16.4 ft) Black on Fluorescent Orange tape
TZe-151	24mm (0.94") x 8m (26.2 ft) Black on Clear tape
TZe-251	24mm (0.94") x 8m (26.2 ft) Black on White tape
TZe-252	24mm (0.94") x 8m (26.2 ft) Red on White tape
TZe-354	24mm (0.94") x 8m (26.2 ft) Gold on Black tape
TZe-355	24mm (0.94") x 8m (26.2 ft) White on Black tape
TZe-451	24mm (0.94") x 8m (26.2 ft) Black on Red tape
TZe-651	24mm (0.94") x 8m (26.2 ft) Black on Yellow tape
TZe-B51	24mm (0.94") x 5m (16.4 ft) Black on Fluorescent Orange tape

# **Simply Stylish Laminated Tapes:**

These brightly colored tapes give labeling projects extra flair.

TZe-MQ835	12mm (0.47") x 5m (16.4 ft) White on Satin Gold tape
TZe-MQ934	12mm (0.47") x 5m (16.4 ft) Gold on Satin Silver tape
TZe-MQG35	12mm (0.47") x 5m (16.4 ft) White on Lime Green tape
TZe-MQP35	12mm (0.47") x 5m (16.4 ft) White on Berry Pink tape

#### Wire and Cable Laminated Tapes:

This tape offers labeling solutions for textured surfaces, rounded edges, electrical wiring and audio/visual cables.

TZe-FX231	12mm (0.47") x 8m (26.2 ft) Black on White Flexible ID tape
TZe-FX631	12mm (0.47") x 8m (26.2 ft) Black on Yellow Flexible ID tape
TZe-FX241	18mm (0.7") x 8m (26.2 ft) Black on White Flexible ID tape
TZe-FX251	24mm (0.94") x 8m (26.2 ft) Black on White Flexible ID tape
TZe-FX651	24mm (0.94") x 8m (26.2 ft) Black on Yellow Flexible ID tape

# **Extra-Strength Laminated Tapes:**

These tapes have stronger adhesion strengths than standard adhesive tapes, making them ideal for uneven and roughtextured surfaces, slippery painted metal and plastic surfaces and surfaces exposed to harsh environments.

TZe-S211	6mm (0.23") x 8m (26.2 ft) Black on White Tape, Extra Strength Adhesive
TZe-S121	9mm (0.35") x 8m (26.2 ft) Black on Clear Tape, Extra Strength Adhesive
TZe-S221	9mm (0.35") x 8m (26.2 ft) Black on White Tape, Extra Strength Adhesive
TZe-S621	9mm (0.35") x 8m (26.2 ft) Black on Yellow Tape, Extra Strength Adhesive
TZe-S131	12mm (0.47") x 8m (26.2 ft) Black on Clear Tape, Extra Strength Adhesive
TZe-S135	12mm (0.47") x 8m (26.2 ft) White on Clear Tape, Extra Strength Adhesive
TZe-S231	12mm (0.47") x 8m (26.2 ft) Black on White Tape, Extra Strength Adhesive
TZe-S631	12mm (0.47") x 8m (26.2 ft) Black on Yellow Tape, Extra Strength Adhesive
TZe-S141	18mm (0.7") x 8m (26.2 ft) Black on Clear Tape, Extra Strength Adhesive
TZe-S241	18mm (0.7") x 8m (26.2 ft) Black on White Tape, Extra Strength Adhesive
TZe-S641	18mm (0.7") x 8m (26.2 ft) Black on Yellow Tape, Extra Strength Adhesive
TZe-S941	18mm (0.7") x 8m (26.2 ft) Black on Matte Silver Tape, Extra Strength Adhesive
TZe-S151	24mm (0.94") x 8m (26.2 ft) Black on Clear Tape, Extra Strength Adhesive
TZe-S251	24mm (0.94") x 8m (26.2 ft) Black on White Tape, Extra Strength Adhesive
TZe-S651	24mm (0.94") x 8m (26.2 ft) Black on Yellow Tape, Extra Strength Adhesive
TZe-S951	24mm (0.94") x 8m (26.2 ft) Black on Matte Silver Tape, Extra Strength Adhesive

# **Super Narrow Tape:**

This non-laminated tape is perfect for labeling CD case spines and other narrow spaces.

TZe-N201	3.5mm (0.13") x 8m (26.2 ft) Black on White Non-Laminated tape
126-14201	5.5mm (0.15 ) x om (20.2 ft) black on write Non Laminated tape

# **Tamper-Evident Laminated Tape:**

This tape features a special tell-tale adhesive. If the label is removed, a checkerboard pattern will be left behind. Great for asset management.

TZe-SE4	18mm (0.7"	) x 8m (26.2 f	t) Black on White Securit	y tape
---------	------------	----------------	---------------------------	--------

#### Acid-Free Photo Safe Tapes^:

Acid-free adhesive laminated tapes are safe for photo-labeling, scrapbooking and other photo-sensitive materials.

TZe-AF131	12mm (0.47") x 8m (26.2 ft) Black on Clear Acid Free Tape
TZe-AF231	12mm (0.47") x 8m (26.2 ft) Black on White Acid Free Tape

# **Iron-on Fabric Tape:**

This tape can be adhered by ironing.

120 1710 1211111 (OTT) / X STIT (STO TO) THAT I STACE OUT TO THE CASE TO CASE	TZe-FA3	12mm (0.47") x 3m (9.8 ft) Navy Blue on White Fabric tape
---	---------	---

#### **Premium Glitter and Matte Laminated Tapes:**

These premium tapes will give your labels a polished look.

TZeM31	12mm (0.47") x 8m (26.2 ft) Black on Premium Matte Clear tape
TZeML35	12mm (0.47") x 8m (26.2 ft) White on Premium Matte Gray tape
TZePR234	12mm (0.47") x 8m (26.2 ft) Gold on Premium Glitter White tape
TZePR831	12mm (0.47") x 8m (26.2 ft) Black on Premium Glitter Gold tape
TZePR935	12mm (0.47") x 8m (26.2 ft) White on Premium Glitter Silver tape
TZeM251	24mm (0.94") x 8m (26.2 ft) Black on Premium Matte White tape
TZeM355	24mm (0.94") x 8m (26.2 ft) White on Premium Matte Black tape
TZeM51	24mm (0.94") x 8m (26.2 ft) Black on Premium Matte Clear tape
TZeM851	24mm (0.94") x 8m (26.2 ft) Black on Premium Matte Gold tape
TZeML55	24mm (0.94") x 8m (26.2 ft) White on Premium Matte Gray tape
TZePR254	24mm (0.94") x 8m (26.2 ft) Gold on Premium Glitter White tape
TZePR851	24mm (0.94") x 8m (26.2 ft) Black on Premium Glitter Gold tape
TZePR955	24mm (0.94") x 8m (26.2 ft) White on Premium Glitter Silver tape

















<sup>^</sup> Claims that adhesive is "acid-free" and/or "photo-safe" are based upon: 1. Satisfactory test results obtained from Photographic Activity Tests per ISO14523 and non-acidic pH tests per TAPPI 509; 2. Certifications from material manufacturers; and 3. Atomic scans of adhesive following removal of backing paper.