P-touch® ELECTRONIC LABELING SYSTEM

High-Performance Labeling System

Model **PT-2700**

Also Available:
PT-2710 with Carrying Case

brother®
at your side

Check Out the Features!

Backlit LCD
Large
16-Character x 3 Line

Save
Up to 99 Labels to Memory

Symbols
Dozens of Business & Fun Symbols Included

Quick & Easy
Automatically Print Labels With Time & Date

INVOICES
02.28.2006 05:29 AM

CAR PAYMENTS
02/22/2006

ELECTRIC BILL
22. Feb. 2006

World Net Internet
760 American Drive
Billings, WY 12345
Personal & Business Services

BJ Communication Incorporated
Mary Parker
Public Relations Director

1/4" Nut
1/4 - 20 NF Thread Size
0 12502 05400 9

Selection
Large Selection of Auto Formats to Add Elegance and Professionalism

Bar Codes
Various Industry Bar Codes Available

AC ADAPTER
INCLUDED

P-touch

Caps HEL 24pt 4.2"
1) Back Light LCD
2) PC-Connectable

BACK LIGHT DISPLAY

Back
PC-C

Print Options
Print
Feed & Cut
Preview

Mode   Light
File   Text   Label   Setup
Esc   OK

Display
Function

Print
Clear

brother

Use it Anywhere!

Office

Organize and identify files, computer discs, inventory… just about everything in the office.

Workshop/Factories

Help keep the workplace safe by clearly identifying hazards and labeling containers.

Hospital/Laboratories

Laminated labels stand up to chemicals and other liquids, as well as temperature extremes.

Standard Bar Code Protocols

Prints crisp, scannable bar code labels in 16 industry-standard protocols. For inventory, asset and document management.

Use Alone or With PC (USB Cable Included)

It's ultra-easy to create beautiful, original graphics and text with our included easy-to-use PT-Editor Software. So go ahead, get creative; put your logo, a picture — just about anything you can think of — on a label. CD-ROM software and USB cable included.

Minimum System Requirements	
Item	PC Specification
OS	Microsoft® Windows® 98SE / Me / 2000 Professional / XP
CPU	32 bit Pentium® compatible (using 32 bit operating system)
Memory	Windows® 98SE, Me: 64MB or more Windows® 2000 Pro, XP: 128MB or more
Hard disk	70MB or more
Monitor	SVGA High Color graphics support or higher
Interface	USB Port (USB specification 1.1 or 2.0 protocol)
Other	CD-ROM drive for installation
Item	Mac Specification
OS	Mac OS® X 10.1 - 10.4.4, Mac OS® 9.1 - 9.X* (*For Mac OS®9.1-9.X, visit our web site http://solutions.brother.com for software and driver download.)
Memory	32MB or more required
Hard disk	100MB or more required
Monitor	More than 256 color
Interface	USB Port (USB specification 1.1 or 2.0 protocol)
Other	CD-ROM drive for installation

Great Labeler

SPECIFICATIONS

- Powered by included AC Adapter or 8 AA batteries (not included)
- One-Year Limited Warranty and Replacement Service
- Unit Dimensions: 7.06" x 9.75" x 2.82"
- Unit Weight: 1.87 lbs. (without tape)

PRINTING FEATURES

- Uses TZ tape up to 1" wide
- Prints durable laminated labels for indoor/outdoor use
- Prints up to 7 lines or about 3/4" high
- Saves up to 99 files to memory
- Automatically adds Time & Date to your labels
- Prints in 8 popular fonts, 12 styles and 8 useful sizes
- Includes underlining and framing
- Prints vertically, horizontally and in mirror image
- Includes dozens of business and fun symbols
- Prints 16 bar code protocols
- Auto numbering and repeat printing

BUILT-IN HARDWARE FEATURES

- Large Backlit LCD… use even in dimly lit areas (16-character x 3-line LCD)
- Automatic cutter cuts cleanly and safely
- QWERTY (typewriter-style) keyboard with ergonomically angled keys

CARTON CONTENTS

- TZ 1/2" (12 mm) Black on White 16' (5m) starter tape
- AC Adapter
- USB Cable
- PT-Editor CD-ROM
- User Guide
- Software Installation Guide

8 TYPE SIZES

Aa 6pt, Aa 9pt, Aa 12pt, Aa 18pt, Aa 24pt, Aa 36pt, Aa 42pt, Aa 48pt

12 TYPE STYLES

NORMAL, **BOLD**, OUTLINE, SHADOW, MIRROR, *ITALIC*, *ITALIC/OUTLINE*, *ITALIC/BOLD*, *ITALIC/SHADOW*, SOLID, ITALIC/SOLID, VERTICAL

brother
at your side

INDOOR & OUTDOOR USE — USES TZ TAPE — Back-Slit, Easy-Peel

Designed for Microsoft® Windows® XP

Great Tapes

PRINTS ON SIX DIFFERENT SIZE TAPES, UP TO 1" WIDE

- 1" wide (24mm)
- 3/4" (18mm)
- 1/2" (12mm)
- 3/8" (9mm)
- 1/4" (6mm)
- 9/64" (3.5mm)

All tapes 26.2' (8m) long, unless noted.

LAMINATED LABEL COLORS AVAILABLE

SPECIALTY TAPES AVAILABLE

Extra Strength Adhesive
Perfect for slippery, highly textured, and other hard-to-hold surfaces

Wire & Cable
Perfect for wrapping or flagging cables, wires, and sharp curves

Fabric Iron-on
Perfect for uniforms, camp clothes, and bedding

FOR MORE INFORMATION VISIT OUR WEB SITE AT
brother.com
OR CALL 1-877-4-PTOUCH (1-877-478-6824)

SCANNABLE BAR CODE

0 12502 61531 6

CAT PT2700