



So much more than an ordinary label maker, the Brother P-touch PT-D460BTVP Expert Connected Label Maker is the right choice for smart businesses!



Connected Label Maker with Bluetooth and Carry Case

- Includes a carry case, and one Black on White sample label tape (18mm x 4m) and one Black on Clear sample label tape (12mm x 4m).
- Bluetooth® connectivity that allows multiple users to access the same label maker from their computer or smart device using the Brother P-Touch Editor Software¹ or the iPrint&Label app¹.
- Make professional-looking labels with barcodes, images, and QR codes. Choose from 16 fonts, 15 font styles, 140 frames, and 800 symbols for the ultimate in customization.
- Prints on durable Brother TZe laminated label tapes up to ~3/4" (18mm) wide, available in a variety of finishes and colors and Ideal for various indoor or outdoor applications.

Features:	P-touch PTD460BTVP	P-touch Editor Software 6 ¹	Brother iPrint&Label ¹
Number of Fonts	16	Uses all TrueType fonts + 35 built-in fonts	Uses most Google and Apple® font libraries + 7 built-in fonts
Built-in Fonts	Helsinki, Brussels, Belgium, Florida, Los Angeles, San Diego, US, Calgary, Atlanta, Adams, Brunei, Sofia, Germany, LetterGothic, Istanbul, Dortmund	Los Angeles, Florida, Adams, Sofia, Bolivia, Venezia, Atlanta, Belgium, Bermuda Script, Berlin, Brougham, Brunei, Brussels, Brussels Condensed, Calgary, Connecticut, Copenhagen, CopperplateTMed, Coronet IB, DomCasualD, FettMitD, FuturaT, Germany, Guatemala Antique, Helsinki, Helsinki Narrow, ImpactURW, Istanbul, Letter Gothic, Oklahoma, Portugal, PT Utah Condensed, San Diego, US, Utah	Atlanta, Brussels, Brussels Condensed, Helsinki, Helsinki Narrow, PT Utah Condensed, Utah
Number of Font Styles	15	200+	16
Number of Font Sizes	7	Variable	Variable
Maximum Print Lines	5	Max. 8 lines with the smallest font size	Max. 7 lines with the smallest font size
Built-in Symbols	800	1900+	493
Built-in Frames	140	140+	51
Auto Numbering	Yes (1-99)	Yes	No
Multi-copy Print	Yes (1-99)	Yes (1-200)	Yes (1-99)
Vertical Printing	Yes	Yes	Yes
Mirror Printing	Yes	Yes	No
Pre-Designed Templates	40	100	100+
Languages Supported	20	26	26
Number of Saved (Stored) Labels	70	No limitation	No limitation
Supports Barcode Printing	Yes	Yes	Yes
Supports QR Code Printing	No	Yes	Yes
Ability to use smartphone voice to text	N/A	N/A	Yes
Ability to detect color/size of tape in machine	N/A	N/A	Yes

Mobile Device and PC Printing:

Interface	Bluetooth® Wireless Technology for mobile, USB for PC/Mac®
Supports Mobile Device Printing	Yes (Brother iPrint&Label) ¹
Mobile Device Compatability	Apple® and Android™
PC Compatability	Yes (P-touch Editor Software) ¹

Hardware Features:

Display	Graphical, monochrome, backlight
Display Size	20 characters x 2 lines
Maximum Tape Width	~3/4" (18mm)
Tape Line	TZe Laminated Label Tape
Keyboard	QWERTY
Tape Cutter	Manual
Maximum Print Speed	30mm/sec
Maximum Print Resolution	180dpi
Maximum Print Height	15.8mm
Power Source	6 x AA Batteries (not included) AC Power Adapter (included)
Auto Power Off	Yes
Bluetooth	Yes

Carton Contents:

PTD460BT Label Maker
Carry/Storage Case
1 Black on White Laminated TZe Sample Label Tape 0.70" (18mm) x 13.1' (4m)
1 Black on Clear Laminated TZe Sample Label Tape 0.47" (12mm) x 13.1' (4m)
AC Power Adapter
USB Cable (Micro, 1m, Black)
Documentation

Setup Information:

UPC Code	012502668725
ITF Barcode	30012502668726
Unit Dimensions	L 6.0 x W 14.2 x H 13.3
Unit Weight	6.18 lbs
Master Carton Dimensions	L 15.8 x W 18.7 x H 14.5
Master Weight	6.18 lbs
Master Carton Quantity	3
Pallet Quantity	54
Pallet Tiers	3
Tariff / Harmonized Code	8443.32.1050
Country of Origin	Made in Philippines. Tapes Made in Japan
Warranty	2-year limited

For use with
P-touch Editor Software 6
Brother iPrint&Label App



* Additional purchase required.
¹ Free download required.

Apple and Mac are registered trademarks of Apple Inc. The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by Brother is under license. Android and Google are registered trademarks of Google LLC. Brother is a registered trademark of Brother Industries Ltd. All other trademarks are the property of their respective owners. All specifications subject to change without notice.

Laminated Label Tape

Long-lasting, water, chemical, abrasion and extreme temperature resistant laminated label tapes for indoor/outdoor use.

TZe-111	6mm (0.23") x 8m (26.2 ft) Black on Clear label tape
TZe-211	6mm (0.23") x 8m (26.2 ft) Black on White label tape
TZe-315	6mm (0.23") x 8m (26.2 ft) White on Black label tape
TZe-121	9mm (0.35") x 8m (26.2 ft) Black on Clear label tape
TZe-221	9mm (0.35") x 8m (26.2 ft) Black on White label tape
TZe-325	9mm (0.35") x 8m (26.2 ft) White on Black label tape
TZe-421	9mm (0.35") x 8m (26.2 ft) Black on Red label tape
TZe-621CS	9mm (0.35") x 8m (26.2 ft) Black on Yellow label tape
TZe-721CS	9mm (0.35") x 8m (26.2 ft) Black on Green label tape
TZe-521CS	9mm (0.35") x 8m (26.2 ft) Black on Blue label tape
TZe-233CS	12mm (0.47") x 8m (26.2 ft) Blue on White label tape
TZe-131	12mm (0.47") x 8m (26.2 ft) Black on Clear label tape
TZe-135	12mm (0.47") x 8m (26.2 ft) White on Clear label tape
TZe-231	12mm (0.47") x 8m (26.2 ft) Black on White label tape
TZe-232	12mm (0.47") x 8m (26.2 ft) Red on White label tape
TZe-334	12mm (0.47") x 8m (26.2 ft) Gold on Black label tape
TZe-335	12mm (0.47") x 8m (26.2 ft) White on Black label tape
TZe-431CS	12mm (0.47") x 8m (26.2 ft) Black on Red label tape
TZe-531CS	12mm (0.47") x 8m (26.2 ft) Black on Blue label tape
TZe-535CS	12mm (0.47") x 8m (26.2 ft) White on Blue label tape
TZe-631	12mm (0.47") x 8m (26.2 ft) Black on Yellow label tape
TZe-731CS	12mm (0.47") x 8m (26.2 ft) Black on Green label tape
TZe-B31CS	12mm (0.47") x 5m (16.4 ft) Black on Fluorescent Orange label tape
TZe-MQF31	12mm (0.47") x 8m (26.2 ft) Black on Pastel Purple label tape
TZe-MQE31	12mm (0.47") x 8m (26.2 ft) Black on Pastel Pink label tape
TZe-MQ531	12mm (0.47") x 8m (26.2 ft) Black on Pastel Blue label tape
TZe-MQ835	12mm (0.47") x 5m (16.4 ft) White on Satin Gold label tape
TZe-MQ934	12mm (0.47") x 5m (16.4 ft) Gold on Satin Silver label tape
TZe-MQG35	12mm (0.47") x 5m (16.4 ft) White on Lime Green label tape
TZe-MQP35	12mm (0.47") x 5m (16.4 ft) White on Berry Pink label tape
TZe-141	18mm (0.7") x 8m (26.2 ft) Black on Clear label tape
TZe-145	18mm (0.7") x 8m (26.2 ft) White on Clear label tape
TZe-241	18mm (0.7") x 8m (26.2 ft) Black on White label tape
TZe-242	18mm (0.7") x 8m (26.2 ft) Red on White label tape
TZe-243	18mm (0.7") x 8m (26.2 ft) Blue on White label tape
TZe-344	18mm (0.7") x 8m (26.2 ft) Gold on Black label tape
TZe-345	18mm (0.7") x 8m (26.2 ft) White on Black label tape
TZe-441	18mm (0.7") x 8m (26.2 ft) Black on Red label tape
TZe-541	18mm (0.7") x 8m (26.2 ft) Black on Blue label tape
TZe-545	18mm (0.7") x 8m (26.2 ft) White on Blue label tape
TZe-641	18mm (0.7") x 8m (26.2 ft) Black on Yellow label tape
TZe-741	18mm (0.7") x 8m (26.2 ft) Black on Green label tape
TZe-841	18mm (0.7") x 5m (16.4 ft) Black on Fluorescent Orange label tape

Premium Laminated Label Tape

Glitter and matte finishes enhance laminated label tapes for a premium look and feel.

TZe-M31	12mm (0.47") x 8m (26.2 ft) Black on Premium Matte Clear label tape
TZe-ML35	12mm (0.47") x 8m (26.2 ft) White on Premium Matte Gray label tape
TZe-PR234	12mm (0.47") x 8m (26.2 ft) Gold on Premium Glitter White label tape
TZe-PR831	12mm (0.47") x 8m (26.2 ft) Black on Premium Glitter Gold label tape
TZe-PR935	12mm (0.47") x 8m (26.2 ft) White on Premium Glitter Silver label tape

Extra Strength Laminated Label Tape

Laminated label tapes with extra staying power for adhering to uneven, rough and rounded surfaces.

TZe-S211	6mm (0.23") x 8m (26.2 ft) Black on White label tape, Extra Strength Adhesive
TZe-S121	9mm (0.35") x 8m (26.2 ft) Black on Clear label tape, Extra Strength Adhesive
TZe-S221	9mm (0.35") x 8m (26.2 ft) Black on White label tape, Extra Strength Adhesive
TZe-S621	9mm (0.35") x 8m (26.2 ft) Black on Yellow label tape, Extra Strength Adhesive
TZe-S131	12mm (0.47") x 8m (26.2 ft) Black on Clear label tape, Extra Strength Adhesive
TZe-S135	12mm (0.47") x 8m (26.2 ft) White on Clear label tape, Extra Strength Adhesive
TZe-S231	12mm (0.47") x 8m (26.2 ft) Black on White label tape, Extra Strength Adhesive
TZe-S631	12mm (0.47") x 8m (26.2 ft) Black on Yellow label tape, Extra Strength Adhesive
TZe-S141	18mm (0.7") x 8m (26.2 ft) Black on Clear label tape, Extra Strength Adhesive
TZe-S241	18mm (0.7") x 8m (26.2 ft) Black on White label tape, Extra Strength Adhesive
TZe-S641	18mm (0.7") x 8m (26.2 ft) Black on Yellow label tape, Extra Strength Adhesive
TZe-S941	18mm (0.7") x 8m (26.2 ft) Black on Matte Silver label tape, Extra Strength Adhesive

Flexible ID Laminated Label Tape

Flexible laminated label tape adheres to itself to easily wrap around cables, wires and other rounded edges.

TZe-FX231	12mm (0.47") x 8m (26.2 ft) Black on White Flexible ID label tape
TZe-FX631	12mm (0.47") x 8m (26.2 ft) Black on Yellow Flexible ID label tape
TZe-FX241	18mm (0.7") x 8m (26.2 ft) Black on White Flexible ID label tape

Non-Laminated Label Tape

Non-laminated label tapes for basic home/home office needs.

TZe-N201	3.5mm (0.13") x 8m (26.2 ft) Black on White Non-Laminated label tape
-----------------	--

Tamper-Evident Laminated Label Tape

If the label is removed, a checkerboard pattern will be left behind. Great for asset management.

TZe-SE4	18mm (0.7") x 8m (26.2 ft) Black on White Security label tape
----------------	---

Acid-Free Photo Safe Label Tape[^]

Acid-free adhesive laminated label tapes, safe for photo-labeling, scrapbooking and other photo-sensitive materials.

TZe-AF131	12mm (0.47") x 8m (26.2 ft) Black on Clear Acid Free label tape
TZe-AF231	12mm (0.47") x 8m (26.2 ft) Black on White Acid Free label tape

Fabric Iron-On Label Tape

Cloth tape adhered by ironing onto cloth/fabric-based items.

TZe-FA3	12mm (0.47") x 3m (9.8 ft) Navy Blue on White Fabric label tape
----------------	---



Working with you for a better environment



[^] Claims that adhesive is "acid-free" and/or "photo-safe" are based upon: 1. Satisfactory test results obtained from Photographic Activity Tests per ISO14523 and non-acidic pH tests per TAPPI 509; 2. Certifications from material manufacturers; and 3. Atomic scans of adhesive following removal of backing paper.

All specifications subject to change without notice.

For more information and a full assortment of supplies visit Ptouch.com

brother
at your side